VOLUME 56 • AUTHOR INDEX

Adir Y *et al*. Effects of exposure to low concentrations of carbon monoxide on exercise performance and myocardial perfusion in young healthy men, **535**
Aitken RJ *see* Cherrie JW and Aitken RJ
Akerstedt T *see* Knutsson A *et al*
Akila R *et al*. Decrements in cognitive performance in metal inert gas welders exposed to aluminium, **632**
Albin M *see* Järvholm B *et al*
Alcouffe J *et al*. Analysis by sex of low back pain among workers from small companies in the Paris area: severity and occupational consequences, **696**
Alessio L *see* Apostoli P *et al*
Alfredsson L *see* Fredriksson K *et al*
Allan D *see* Graham A *et al*
Amre DK *et al*. Case-control study of lung cancer among sugar cane farmers in India, **548**
Andersen A *see* Sali D *et al*
Andersen JH *see* Frost P and Andersen JH
Anderson HR *see* Bremner SA *et al*
Andren S, Brugha R. Health effects among workers in sewage treatment plants: *letter*, **790**
Angerer J *see* Spriewald BM *et al*
Apostoli P *et al*. Biological monitoring of occupational exposure to inorganic arsenic, **825**
Arblaster L *see* Howel D *et al*
Armitage S *see* Mason HJ *et al*
Arnold R *see* Elliott P *et al*
Aronson KJ *et al*. Surveillance of potential associations between occupations and causes of death in Canada, 1965–91, **265**
ASCLEPIOS study group *see* Larsen SB *et al*
Atkinson RW *see* Bremner SA *et al*
Avol E *see* Gilliland FD *et al*
Axelson O *see* Rahman M *et al*
Ayres JG *see* Tunnicliffe WS *et al*

Bach E *see* Netterstrøm B *et al*
Baldwin DR *see* Burge PS *et al*
Balogh I *see* Nordander C *et al*
Baris D *et al*. Residential exposure to magnetic fields: an empirical examination of alternative measurement strategies, **562**
Barltrop D *see* Elliott P *et al*
Barnas U *see* Osterode W *et al*
Bartoli D *see* Apostoli P *et al*
Bean JA *see* Fleming LE *et al*
Bebbington P *see* Mino Y *et al*
Beeckman L-A *see* Wang M-L *et al*
Bégin R *see* Dufresne A *et al*
Belcher J *see* Burge PS *et al*
Bendall H *see* Smedley J *et al*
Bender JR *see* Chiazze L *et al*
Bennett N *see* Smith TA *et al*
Beral V *see* Maconochie N *et al*
BéruBé KA *see* Murphy SAM *et al*
Beswick PH *see* Graham A *et al*
Bigelow C *see* Striker J *et al*
Bithell MT *see* Smith TA *et al*
Bitterman H *see* Adir Y *et al*
Black RJ *see* Sharp L *et al*
Bland JM *see* Bremner SA *et al*
Blomberg A *see* Rudell B *et al*
Bobak M, Leon DA. Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**
Boezen HM *see* van der Zee SC *et al*
Boffetta P *see* Sali D *et al*
Bøggild H *et al*. Shift work, social class, and ischaemic heart disease in middle aged and elderly men; a 22 year follow up in the Copenhagen male study, **640**
Boice Jr JD *et al*. Mortality among aircraft manufacturing workers, **581**
Bonde JPE *see* Hjollund NHI *et al*
see Larsen SB *et al*
Bonner SM *see* Lynge E *et al*
Book reviews 1999 TLVs and BEIs: threshold limit values for chemical substances and physical agents and biological exposure indices, **791**
Addley K, *editor*. Occupational stress: a practical approach, **576**
Angerer J, Schoiler K-H, *editors*. Analysis of hazardous substances in biological materials, volume 6, **790**
Crystal RG, Barnes PJ, West JB, Weibel ER, *editors*. Scientific foundations of the lung: 2nd ed, **359**
English JSC, *editor*. A colour handbook of occupational dermatology, **503**
Ernsting J, Nicholson A, Rainford D, *editors*. Aviation medicine, 3rd edition, **647**
Feldman R G. Occupational and environmental neurotoxicology 1st edition, **360**
Feyer A-M, Williamson A. Occupational Injury, **503**
Fitzpatrick M, Bonnefoy X. Guidance on the development of educational and training curricula, **790**
Forastieri V. Children at work: health and safety risks, **359**
Harrington J M, Gill F S, Aw T C, Gardiner K. Occupational health, 4th edition., **575**
Hester R E, Harrison R M, *editors*. Air Quality Management, **504**
Hestor R E, Harrison R M, *editors*. Air Pollution and Health, **504**
Hodgson E, Mailman RB, Chambers JE, *editors*. Dictionary of toxicology, 2nd ed, **503**
Hutson M A. Work related upper limb disorders: recognition and management, **575**
Kloss D. Occupational health law, 3rd ed., **358**
McDonald J A, *editor*. Lung biology in health and disease series. Vol 100, **648**
MRC Institute for Environment and Health. Organophosphorus esters: an evaluation of chronic neurotoxic effects, **359**
National Research Council. Science and Judgement in Risk Assessment, **70**
Pelmear PL, Wasserman DE, *editors*. Hand-arm vibration: a comprehensive guide for occupational health professionals, 2nd ed., **358**
Pratt J, Jacobs K, *editors*. Work practice: international perspectives, **359**
Rom W N, *editor*. Environmental and occupational medicine, 3rd edition, **791**
Schaufeli W, Enzmann D, *editors*. The burnout companion to study and practice: a critical analysis, **576**
Shuker L, Levy L, *editors*. Approaches to predicting toxicity from occupational exposure to dusts, IEH report R11, **648**
Slee V N, Slee D A, Schmitd H J. Slee's health care terms: 3rd comprehensive edition, **360**
Southgate S, Lockie C, Heard S, Wood M. Infection, Oxford General Practice Series 40, **70**
Williams D R. What is Safe? The Risks of Living in a Nuclear Age, **432**
World Health Organisation, *editor*. Rapid health assessment protocols for emergencies, **791**
Bourbeau J *see* Menzies D *et al*
Bower JS *see* Bremner SA *et al*
Braam ITJ *see* Hulshof CTJ *et al*
Bradshaw L *see* Erkinjuntti-Pekkanen R *et al*
Brant RF *see* Gorsche RG *et al*
Brehier M *see* Alcouffe J *et al*
Bremner SA *et al*. Short term associations between outdoor air pollution and mortality in London 1992–4, **237**
Bright P *see* Burge PS *et al*
Brodkin CA *see* Luderer U *et al*
Brouwer DH *see* Schneider T *et al*
Brugha R *see* Andren S and Brugha R
Brunekreef B *see* Janssen NAH *et al*
see Roemer W *et al*
see van der Zee SC *et al*
Brunnberg L *see* Hoerauf K *et al*
Buchet JP *see* Apostoli P *et al*
Buckle PW *see* Devereux JJ *et al*
Buijs P *et al*. Dutch occupational physicians and general practitioners wish to improve cooperation, **709**
Burdorf A *see* Tielemans E *et al*
Burge CBSG *see* Burge PS *et al*
Burge PS *et al*. Development of an expert system for the interpretation of serial peak expiratory flow measurements in the diagnosis of occupational asthma, **758**
see Tunnicliffe WS *et al*
Butler MP *see* Graveling RA *et al*

Calvert GM *et al*. Evaluation of diabetes mellitus, serum glucose, and thyroid function among United States workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin, **270**
Camps C *see* Sala M *et al*
Carpenter M *see* Aronson KJ *et al*
Cavariani F *see* Rapiti E *et al*
Chalkley S *see* Mason H *et al*
Chang P-Y *see* Chu N-F *et al*
Checkoway H *see* Daniell WE *et al*
Chen C-Y *see* Shih T-S *et al*
see Shih T-S *et al*
Chen D-S *see* Kao J-H *et al*
Chen R *et al*. Health effects of solvent exposure among dockyard painters: mortality and neuropsychological symptoms, **383**
Neuropsychological symptoms in Chinese male and female painters: an epidemiological study in dockyard workers, **388**
Cheng S *see* Erkinjuntti-Pekkanen R *et al*
Cheong H-K *see* Kim Y *et al*
Cherrie JW, Aitken RJ. Measurement of human exposure to biologically relevant fractions of inhaled aerosols, **747**
see Sali D *et al*
see Schneider T *et al*
Chettle D *see* Mason H *et al*

Chiazze L *et al.* Mortality from nephritis and nephrosis in the fibreglass manufacturing industry, **164**
Chiazze M *see* Chiazze L *et al*
Chou J-S *see* Shih T-S *et al*
see Shih T-S *et al*
Chowdhury IA *see* Rahman M *et al*
Christiani DC *see* Dalvie MA *et al*
see Ho C-K *et al*
see Wu M-T *et al*
Chu N-F *et al.* Reappraisal of the relation between blood lead concentration and blood pressure among the general population in Taiwan, **30**
Claude JC *see* Sali D *et al*
Claypoole KH *see* Daniell WE *et al*
Clench-Aas J *see* Roemer W *et al*
Cocco P *et al.* Risk of stomach cancer associated with 12 workplace hazards: analysis of death certificates from 24 states of the United States with the aid of job exposure matrices, **781**
Cocker J *see* Griffin P *et al*
see Williams NR *et al*
Coggon D *see* Smedley J *et al*
see Smedley J *et al*
Cohen C *see* Lahat N *et al*
Collins JJ *et al.* Mortalities of workers at the Nitro plant with exposure to 2-mercaptobenzothialzole, **667**
Conway GA *see* Lincoln JM and Conway GA
Corn CJ *see* Levin JL *et al*
Cox B *see* Firth HM *et al*
Cullinan P *see* Smedley J *et al*
Cummings TF *see* Lynge E *et al*
Curran AD. Flow cytometry in the exploration of the physiopathology of occupational lung disease, **742**
see Fishwick D *et al*

Dager SR *see* Daniell WE *et al*
Dalvie MA *et al.* Long term respiratory health effects of the herbicide, paraquat, among workers in the Western Cape, **391**
Daniell WE *et al.* Neuropsychological function in retired workers with previous long term occupational exposure to solvents, **93**
Davies G *see* Maconochie N *et al*
Deddens J *see* Calvert GM *et al*
de Monchy JGR *see* Pal TM *et al*
Derwent RG *see* Welch F *et al*
Devereux JJ *et al.* Interactions between physical and psychosocial risk factors at work increase the risk of back disorders: an epidemiological approach, **343**
Dick F *see* Chen R *et al*
Di Lallo D *see* Rapiti E *et al*
Divine BJ *et al.* Update of the Texaco mortality study 1947–93: part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers, **167**
Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**
Dodson RF *see* Levin JL *et al*
Doekes G *et al.* Occupational IgE sensitisation to phytase, a phosphatase derived from *Aspergillus niger*, **454**
see Heederik D *et al*
see Nieuwenhuijsen MJ *et al*
see Smith TA *et al*
Dolk H *et al.* Mortality among residents near cokeworks in Great Britain, **34**
Donaldson K *see* Graham A *et al*
Donoghue AM. Inhalation of ammonium nitrate fuel oil explosive: and possible concomitant exposure: *correspondence*, **215**
Donoghue AM, Sinclair MJ. Basal cell carcinoma after frequent episodes of cutaneous erythema and peeling induced by welding: *correspondence*, **646**
Donoghue AM, Thomas M. Point source sulphur dioxide peaks and hospital presentations for asthma, **232**
Dosemeci M *see* Cocco P *et al*
Doyle P *see* Maconochie N *et al*
Drexler H *et al.* Efficacy of measures of hygiene in workers sensitised to acid anhydrides and the influence of selection bias on the results, **202**
Dronfield L *see* Erkinjuntti-Pekkanen R *et al*
Droste JHJ *et al.* Occupational risk factors of lung cancer: a hospital based case-control study, **322**
Dufour J-G *see* Leroyer C *et al*
Dufresne A *et al.* Clearance of man made mineral fibres from the lungs of sheep, **684**
see Amre DK *et al*
Durgawale PM *see* Amre DK *et al*

Edling C *see* Friis L *et al*
Eelen P *see* van den Bergh O *et al*
Elliott AJ *see* Welch F *et al*
Elliott P *et al.* Clinical lead poisoning in England: an analysis of routine sources of data, **820**
see Dolk H *et al*
see Wilkinson P *et al*
Elwood JM *see* Firth HM *et al*
Englert N *see* Roemer W *et al*
Englund A *see* Järvholm B *et al*
Engström K *see* Järvinen P *et al*
Erkinjuntti-Pekkanen R *et al.* Two year follow up of pulmonary function values among welders in New Zealand, **328**
Ernst P *see* Amre DK *et al*

Fabin C *see* Alcouffe J *et al*
Fair ME *see* Aronson KJ *et al*
Falconer S *see* Wilkinson P *et al*
Faragher EB *see* Raza SN *et al*
see Raza SN *et al*
Farrar DG *see* Lynge E *et al*
Faupin F *see* Alcouffe J *et al*
Faustman EM *see* Luderer U *et al*
Fayerweather W *see* Chiazze L *et al*
Fear NT *et al.* Are the children of fathers whose jobs involve contact with many people at an increased risk of leukaemia?, **438**
Firth HM *et al.* Historical cohort study of a New Zealand foundry and heavy engineering plant, **134**
Fishwick D *et al.* Prevalence and predictors of work related respiratory symptoms in workers exposed to organic dusts: *correspondence*, **575**
see Erkinjuntti-Pekkanen R *et al*
Fleming LE *et al.* Mortality in a cohort of licenced pesticide applicators in Florida, **14**
Fletcher AM *see* Raza SN *et al*
see Raza SN *et al*
Fletcher TJ *see* Tunnicliffe WS *et al*
Fogh CL *see* Schneider T *et al*
Folkard S *see* Tucker P *et al*
Forastiere F *see* Rapiti E *et al*
Fredriksson K *et al.* Risk factors for neck and upper limb disorders: results from 24 years of follow up, **59**
Frew AJ *see* Mudway IS *et al*
see Smedley J *et al*
see Smedley J *et al*
Friis L *et al.* Cancer incidence in a cohort of Swedish sewage workers: extended follow up, **672**
Front A *see* Adir Y *et al*
Froom P *see* Lahat N *et al*
Frost P, Andersen JH. Shoulder impingement syndrome in relation to shoulder intensive work, **494**
Fryar C *see* Chiazze L *et al*
Fryzek JP *see* Boice Jr JD *et al*
Fuhrer R *see* Stansfeld SA *et al*

Gamperiene M, Stigum H. Work related risk factors for musculoskeletal complaints in the spinning industry in Lithuania, **411**
Gannon PFG *see* Burge PS *et al*
Gautrin D *see* Leroyer C *et al*
Geissler K *see* Osterode W *et al*
Gemer TY *see* Gorsche RG *et al*
George JPK *see* Graveling RA *et al*
Gibbs A *see* Howel D *et al*
Gilbert ES *see* Kheifets LI *et al*
Gilliland FD *et al.* Effect of spirometer temperature on FEV_1 in a longitudinal epidemiological study, **718**
Gilman E *see* Harrison RM *et al*
Gilmour WH *see* Ritchie KA *et al*
Girard D *see* Leroyer C *et al*
Giwercman A *see* Larsen SB *et al*
Goldsmith DF *see* Rapiti E *et al*
Gong H *see* Gilliland FD *et al*
Gorsche RG *et al.* Prevalence and incidence of carpal tunnel syndrome in a meat packing plant, **417**
Graham A *et al.* Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy, **606**
Graveling RA *et al.* A review of multiple chemical sensitivity, **73**
Green S *see* Mason HJ *et al*
Griffin P *et al.* Oral and dermal absorption of chlorpyrifos: a human volunteer study, **10**
Grimalt J *see* Sala M *et al*
Groat SK *see* Love RG *et al*
Groothoff JW *see* Pal TM *et al*
Grundy C *see* Dolk H *et al*
see Wilkinson P *et al*
Guénel P *see* Kheifets LI *et al*
Gulson BL *see* James MG and Gulson BL
Gyntelberg F *see* Bøggild H *et al*

Hagmar L *see* Friis L *et al*
Haim SB *see* Adir Y *et al*
Hallquist J *see* Knutsson A *et al*
Hamilton K *see* Fleming LE *et al*
Hansen J *see* Sali D *et al*
Harduf R *see* Adir Y *et al*
Harling K *see* Hughes A *et al*
Harrer T *see* Spriewald BM *et al*
Harris F *see* Wong O *et al*
Harrison RM *et al.* Analysis of incidence of childhood cancer in the West Midlands of the United Kingdom in relation to proximity to main roads and petrol stations, **774**

Harssema H *see* Janssen NAH *et al*
Hartman CM *see* Divine BJ *et al*
see Divine BJ *et al*
Hartog K *see* Tielemans E *et al*
Hatch EE *see* Baris D *et al*
Hatton P *see* Howel D *et al*
Heederik D *et al*. Exposure assessment of high molecular weight sensitisers: contribution to occupational epidemiology and disease prevention, **735**
see Doekes G *et al*
see Nieuwenhuijsen MJ *et al*
see Smith TA *et al*
see Tielemans E *et al*
Heijne CG *see* Lynge E *et al*
Hein HO *see* Bøggild H *et al*
Helleday R *see* Rudell B *et al*
Helwegen L *see* Doekes G *et al*
Henry JA *see* Elliott P *et al*
Heptonstall J *see* Kao J-H *et al*
Herbison GP *see* Firth HM *et al*
Heywood K *see* Griffin P *et al*
Higinbotham J *see* Graham A *et al*
Hillerdal G. Mesothelioma: cases associated with non-occupational and low dose exposures: *review*, **505**
Hirsch AR, Zavala G. Long term effects on the olfactory system of exposure to hydrogen sulphide, **284**
Hjollund NHI *et al*. Extremely low frequency magnetic fields and fertility: a follow up study of couples planning first pregnancies, **253**
Hnizdo E, Murray J. Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners, **215**
Ho C-K *et al*. Suspected nasopharyngeal carcinoma in three workers with long term exposure to sulphuric acid vapour, **426**
see Lin S-H *et al*
see Wu M-T *et al*
Hobbesland LÅ *et al*. Study of cancer incidence among 6363 male workers in four Norwegian ferromanganese and silicomanganese producing plants, **618**
Study of cancer incidence among 8530 male workers in eight Norwegian plants producing ferrosilicon and silicon metal, **625**
Hoek G *see* Janssen NAH *et al*
see Roemer W *et al*
see van der Zee SC *et al*
Hoerauf K *et al*. Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide, **433**
Holgate ST *see* Mudway IS *et al*
Horne J, Reyner L. Vehicle accidents related to sleep: a review: *review*, **289**
Hörstedt P *see* Rudell B *et al*
see Rudell B *et al*
House IM *see* Elliott P *et al*
Houtman ILD *see* van der Gulden JWJ and Houtman ILD
Howe GR *see* Aronson KJ *et al*
Howel D *et al*. Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region, **51**
Huang P-H *see* Ho C-K *et al*
Huang S-L *see* Wu M-T *et al*
Hughes A *et al*. Provision and staffing of NHS occupational health services in England and Wales, **714**
Hughes EG *see* Linnett PJ and Hughes EG
Hulshof CTJ *et al*. Evaluation research in occupational health services: general principles and a systematic review of empirical studies, **361**

Infante-Rivard C *see* Amre DK *et al*
Innos K *et al*. Feasibility of cohort studies in Estonia, **499**

James MG, Gulson BL. Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**
Janssen NAH *et al*. Mass concentration and elemental composition of PM_{10} in classrooms, **482**
Järvholm B *et al*. Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos, **110**
Järvinen P *et al*. Effects of experimental exposure to triethylamine on vision and the eye, **1**
Jones K *see* Williams NR *et al*
Jury A *see* Smedley J *et al*

Kalden JR *see* Spriewald BM *et al*
Kalman DA *see* Luderer U *et al*
Kamminga N *see* Doekes G *et al*
Kao J-H *et al*. Molecular methods of measurement of hepatitis B virus, hepatitis C virus, and human immunodeficiency virus infection: implications for occupational health practice, **730**
Karmaus W *see* Plenge-Bönig A and Karmaus W
Katsouyanni K *see* Roemer W *et al*
Kaune WT *see* Baris D *et al*
Kelly FJ *see* Mudway IS *et al*
Kheifets LI *et al*. Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States, **567**
Kilbom A *see* Fredriksson K *et al*
Kim K-S *see* Kim Y *et al*
Kim Y *et al*. Evaluation of exposure to ethylene glycol monoethyl ether acetates and their possible haematological effects on shipyard painters, **378**
Kimbell-Dunn M *see* Erkinjuntti-Pekkanen R *et al*
Kjuus H *see* Hobbesland LÅ *et al*
see Hobbesland LÅ *et al*
Kleinerman RA *see* Baris D *et al*
Knutsson A *et al*. Shiftwork and myocardial infarction: a case-control study, **46**
Koenig JQ *see* Trenga CA *et al*
Koh D *et al*. Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**
Kolstad HA *see* Hjollund NHI *et al*
Köster M *see* Fredriksson K *et al*
Krishna MT *see* Mudway IS *et al*
Kristal-Boneh E *see* Lahat N *et al*
Kristensen TS *see* Netterstrøm B *et al*
Kromhout H *see* Schneider T *et al*
see Tielemans E *et al*

Lahat N *et al*. Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos, **114**
Landon M *see* Dolk H *et al*
see Wilkinson P *et al*
Larsen SB *et al*. Semen quality and sex hormones among organic and traditional Danish farmers, **139**
Lau TS *see* Wong TW *et al*
Ledin M-C *see* Rudell B *et al*
Lee CR *see* Kim Y *et al*
Lee N *see* Kim Y *et al*
Leng G, Lewalter J. Role of individual susceptibility in risk assessment of pesticides, **449**
Leon DA *see* Bobak M and Leon DA
Lerman Y *see* Lahat N *et al*
Leroyer C *et al*. Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**
Leung P-L *see* Harrison RM *et al*
Levin JL *et al*. Asbestosis and small cell lung cancer in a clutch refabricator, **602**
Levin J-O *see* Rudell B *et al*
Lewalter J *see* Leng G and Lewalter J
Lierz M *see* Hoerauf K *et al*
Lierz P *see* Hoerauf K *et al*
Liese B *see* Striker J *et al*
Lin C-P *see* Lin S-H *et al*
Lin C-T *see* Ho C-K *et al*
Lin S-H *et al*. Fungal corneal ulcers of onion harvesters in southern Taiwan, **423**
Lincoln JM, Conway GA. Preventing commercial fishing deaths in Alaska, **691**
Lindahl R *see* Rudell B *et al*
Linehan A *see* Smith TA *et al*
Linet MS *see* Baris D *et al*
Links JM *see* Schwartz BS *et al*
Linn W *see* Gilliland FD *et al*
Linnett PJ, Hughes EG. 20 Years of medical surveillance on exposure to allergenic and non-allergenic platinum compounds: the importance of chemical speciation, **191**
Liou S-H *see* Chu N-F *et al*
see Shih T-S *et al*
Liu C-L *see* Wu M-T *et al*
Lloret IS *see* Dolk H *et al*
Lo WCH *see* Ho C-K *et al*
London L *see* Dalvie MA *et al*
Love RG *et al*. Risks of respiratory disease in the heavy clay industry, **124**
Lubin J *see* Baris D *et al*
Lucas LJ *see* Marsh GM *et al*
Luderer U *et al*. Reproductive endocrine effects of acute exposure to toluene in men and women, **657**
Luippold RS *see* Striker J *et al*
Lundbäck B *see* Rudell B *et al*
Lynge E *et al*. Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base: *correspondence*, **215**

McCoach J *see* Burge PS *et al*
Macdonald EB *see* Ritchie KA *et al*
Macdonald I *see* Tucker P *et al*
McKinney PA *see* Sharp L *et al*
Maclaren WM *see* Love RG *et al*
McLaughlin JK *see* Boice Jr JD *et al*
MacLeod D *see* Mudway IS *et al*
McMichael AJ *see* Bremner SA *et al*
Maconochie N *et al*. Nuclear industry family study: methods and description of a United Kingdom study linking occupational information held by employers to reproduction and child health, **793**
Malo J-L *see* Leroyer C *et al*
Manillier P *see* Alcouffe J *et al*
Mao I-F *see* Wu M-T *et al*

Marano DE *see* Boice Jr JD *et al*
Marmot MG *see* Stansfeld SA *et al*
Marsh GM *et al*. Mortality patterns among workers exposed to acrylamide: 1994 follow up, **181**
Mason HJ *et al*. Follow up of workers previously exposed to silver solder containing cadmium, **553**
Measurement of vitamin D_3 metabolites in smelter workers exposed to lead and cadmium: *letter*, **788**
see Griffin P *et al*
Massé S *see* Dufresne A *et al*
Maynard RL. Air pollution research in the United Kingdom: *correspondence*, **647**
Menzies D *et al*. Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**
Merdler A *see* Adir Y *et al*
Miceli M *see* Rapiti E *et al*
Midlands Thoracic Society Research Group *see* Burge PS *et al*
Mikoczy Z *see* Friis L *et al*
Miles JF *see* Tunnicliffe WS *et al*
Mino Y *et al*. Perceived job stress and mental health in precision machine workers of Japan: a 2 year cohort study, **41**
Møller L *see* Netterstrøm B *et al*
Monster AC *see* Wilson HK and Monster AC
Moon Y *see* Kim Y *et al*
Morgan M *see* Mason HJ *et al*
Morgan MS *see* Luderer U *et al*
Morgan WD *see* Mason HJ *et al*
Mudway IS *et al*. Compromised concentrations of ascorbate in fluid lining the respiratory tract in human subjects after exposure to ozone, **473**
Mundt KA *see* Striker J *et al*
Murphy SAM *et al*. Bioreactivity of carbon black and diesel exhaust particles to primary Clara and type II epithelial cell cultures, **813**
Murray J *see* Hnizdo E and Murray J
Murray KJ *see* Ritchie KA *et al*
Murray VSG *see* Welch F *et al*
Myers JE *see* Dalvie MA *et al*

Nagy L *see* Striker J *et al*
Nakaishi H, Yamada Y. Abnormal tear dynamics and symptoms of eyestrain in operators of visual display terminals, **6**
Neller A *see* Wong TW *et al*
Nemery B *see* van den Bergh O *et al*
Netterstrøm B *et al*. Relation between job strain and myocardial infarction: a case-control study, **339**
Newman-Taylor A *see* Smedley J *et al*
Newton DT *see* Burge PS *et al*
Nielsen FE *see* Netterstrøm B *et al*
Nielsen J *see* Drexler H *et al*
Nieuwenhuijsen MJ *et al*. Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills, **197**
see Heederik D *et al*
see Smith TA *et al*
Niven RMcL *see* Fishwick D *et al*
see Raza SN *et al*
see Raza SN *et al*
Nordander C *et al*. Fish processing work: the impact of two sex dependent exposure profiles on musculoskeletal health, **256**
Nowak D *see* Radon K *et al*
Nusse M *see* Hoerauf K *et al*

O'Hickey SP *see* Tunnicliffe WS *et al*
Ohlsson K *see* Nordander C *et al*
Olsen JH *see* Sali D *et al*
Ong CN *see* Koh D *et al*
Östberg Y *see* Rudell B *et al*
Osterode W *et al*. Dose dependent reduction of erythroid progenitor cells and inappropriate erythropoietin response in exposure to lead: new aspects of anaemia induced by lead, **106**
O'Sullivan MF *see* Levin JL *et al*
Otero R *see* Sala M *et al*

Pal TM *et al*. Follow up investigation of workers in synthetic fibre plants with humidifier disease and work related asthma, **403**
Pålsson B *see* Nordander C *et al*
Palu S *see* Steenland K and Palu S
Pang D. A relative power table for nested matched case-control studies, **67**
Pang SW *see* Wong TW *et al*
Pannett B *see* Fear NT *et al*
Pantin CFA *see* Burge PS *et al*
Park S *see* Kim Y *et al*
Pasztor J *see* Menzies D *et al*
Pearce N *see* Erkinjuntti-Pekkanen R *et al*
Pekkanen J *see* Roemer W *et al*
Perrault G *see* Dufresne A *et al*
Perrin B *see* Mason HJ *et al*
Perucci CA *see* Rapiti E *et al*
Pesatori AC *see* Sali D *et al*
Peters J *see* Gilliland FD *et al*
Petsonk EL *see* Wang M-L *et al*
Philipp R *see* Hughes A *et al*
Pickering CAC *see* Fishwick D *et al*
see Raza SN *et al*
see Raza SN *et al*
Pilkington A *see* Graveling RA *et al*
Plato N *see* Sali D *et al*
Plenge-Bönig A, Karmaus W. Exposure to toluene in the printing industry is associated with subfecundity in women but not in men, **443**
Pooley F *see* Howel D *et al*
Porteous RH *see* Love RG *et al*
Post D *see* Pal TM *et al*

Radon K *et al*. Lack of combined effects of exposure and smoking on respiratory health in aluminium potroom workers, **468**
Raes C *see* van den Bergh O *et al*
Rahman M *et al*. Relations between exposure to arsenic, skin lesions, and glucosuria, **277**
Rahu K *see* Innos K *et al*
Rahu M *see* Innos K *et al*
Raine R *see* Dalvie MA *et al*
Rand T *see* Menzies D *et al*
Rannug U *see* Rudell B *et al*
Rapiti E *et al*. End stage renal disease among ceramic workers exposed to silica, **553**
Rappaport E *see* Gilliland FD *et al*
Rascu A *see* Spriewald BM *et al*
Rawbone RG. Future impact of genetic screening in occupational and environmental medicine, **721**
Raza SN *et al*. Respiratory symptoms in Lancashire textile weavers, **514**
Ventilatory function and personal breathing zone dust concentrations in Lancashire textile weavers, **520**
Reeves G *see* Fear NT *et al*
Renger RF *see* Gorsche RG *et al*
Renvoize E *see* Howel D *et al*
Reuterwall C *see* Knutsson A *et al*
Reyner L *see* Horne J and Reyner L
Ribak J *see* Lahat N *et al*
Richards RJ *see* Murphy SAM *et al*
Riihimäki V *see* Akila R *et al*
see Järvinen P *et al*
Riordan SG *see* Collins JJ *et al*
Ritchie KA *et al*. Analysis of sickness absence among employees of four NHS trusts, **702**
Robins AG *see* Welch F *et al*
Robison LL *see* Baris D *et al*
Roemer W *et al*. Inhomogeneity in response to air pollution in European children (PEACE project), **86**
Roman E *see* Fear NT *et al*
see Maconochie N *et al*
Rosenstock L *see* Daniell WE *et al*
Rudell B *et al*. Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**
Efficiency of automotive cabin air filters to reduce acute health effects of diesel exhaust in human subjects, **222**
Rudolph M *see* Fleming LE *et al*
Ruusuvaara P *see* Järvinen P *et al*
Ryall DB *see* Welch F *et al*
Rylander L *see* Nordander C *et al*
Rylander R. Health effects among workers in sewage treatment plants, **354**

Sadler CJ *see* Boice Jr JD *et al*
Sahl JD *see* Kheifets LI *et al*
Sakai T *see* Kim Y *et al*
Sala M *et al*. Organochlorine in the serum of inhabitants living near an electrochemical factory, **152**
Sali D *et al*. Non-neoplastic mortality of European workers who produce man made vitreous fibres, **612**
Sandström T *see* Mudway IS *et al*
see Rudell B *et al*
see Rudell B *et al*
Santiago-Silva M *see* Sala M *et al*
Saracci R *see* Sali D *et al*
Sasyniuk TM *see* Gorsche RG *et al*
Savitz DA *see* Kheifets LI *et al*
Schall LC *see* Marsh GM *et al*
Schaller KH *see* Drexler H *et al*
see Spriewald BM *et al*
Schneider T *et al*. Conceptual model for assessment of dermal exposure, **765**
Schouten JP *see* van der Zee SC *et al*
Schroegendorfer K *see* Hoerauf K *et al*
Schwartz BS *et al*. Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers, **22**
Schweiger M *see* Howel D *et al*
Seaton A *see* Chen R *et al*
see Chen R *et al*
Seow A *see* Koh D *et al*

Setälä K *see* Järvinen P *et al*
Sharp L *et al.* Incidence of childhood brain and other non-haematopoietic neoplasms near nuclear sites in Scotland, 1975–94, **308**
Shigemi J *see* Mino Y *et al*
Shih T-S *et al.* Correlation between urinary 2-methoxy acetic acid and exposure of 2-methoxy ethanol, **674**
Improved method to measure urinary alkoxyacetic acids, **460**
Shipley MJ *see* Stansfeld SA *et al*
Simpson J *see* Fishwick D *et al*
Sinclair MJ *see* Donoghue AM and Sinclair MJ
Skerfving S *see* Drexler H *et al*
see Nordander C *et al*
Skotte JH *see* Hjollund NHI *et al*
Slater T *see* Erkinjuntti-Pekkanen R *et al*
Smedley J *et al.* Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital, **833**
Work related respiratory symptoms in radiographers: *correspondence*, **646**
Smith L *see* Tucker P *et al*
Smith PG *see* Maconochie N *et al*
Smith R *see* Harrison RM *et al*
Smith TA *et al.* Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills: *letter*, **788**
Smith TJ *see* Shih T-S *et al*
Smith-Weller T *see* Daniell WE *et al*
Somervaille L *see* Harrison RM *et al*
Soutar C *see* Love RG *et al*
Spacek A *see* Hoerauf K *et al*
Spanò M *see* Larsen SB *et al*
Sperati A *see* Rapiti E *et al*
Spriewald BM *et al.* Lead induced anaemia due to traditional Indian medicine: a case report, **282**
Stansfeld SA *et al.* Work characteristics predict psychiatric disorder: prospective results from the Whitehall II study, **302**
Steenland K, Palu S. Cohort mortality study of 57 000 painters and other union members: a 15 year update, **315**
Stegen K *see* van den Bergh O *et al*
Stewart WF *see* Schwartz BS *et al*
Stigum H *see* Gamperiene M and Stigum H
Stjernberg N *see* Rudell B *et al*
Stollery BT *see* Akila R *et al*
Strachan DP *see* Bremner SA *et al*
Strauss ME *see* Collins JJ *et al*
Striker J *et al.* Risk factors for psychological stress among international business travellers, **245**
Stulens P *see* van den Bergh O *et al*
Suadicani P *see* Bøggild H *et al*
Sunesson A-L *see* Rudell B *et al*
Sunyer J *see* Sala M *et al*
Sussman SS *see* Kheifets LI *et al*
Sweeney MH *see* Calvert GM *et al*
Swinburne L *see* Howel D *et al*
Szadkowski D *see* Radon K *et al*

Tam W *see* Wong TW *et al*
Tannahill SN *see* Graveling RA *et al*
Tarone RE *see* Baris D *et al*
Taylor AJN *see* Nieuwenhuijsen MJ *et al*
see Smith TA *et al*
Teppo L *see* Sali D *et al*
Thakrar B *see* Dolk H *et al*
see Wilkinson P *et al*
The Danish First Pregnancy Planner Study Team *see* Hjollund NHI *et al*
Thelle DS *see* Hobbesland LÅ *et al*
see Hobbesland LÅ *et al*
Theorell T *see* Knutsson A *et al*
Thériault G *see* Kheifets LI *et al*
Thomas M *see* Donoghue AM and Thomas M
Thompson M *see* Dalvie MA *et al*
Thorbjörnsson CB *see* Fredriksson K *et al*
Thornton I *see* Elliott P *et al*
Tielemans E *et al.* Assessment of occupational exposures in a general population: comparison of different methods, **145**
Todd AC *see* Schwartz BS *et al*
Tomenson JA *see* Lynge E *et al*
Tondel M *see* Rahman M *et al*
Toomingas A *see* Fredriksson K *et al*
Torgén M *see* Fredriksson K *et al*
Townes BD *see* Daniell WE *et al*
Trenga CA *et al.* Sulphur dioxide sensitivity and plasma antioxidants in adult subjects with asthma, **544**
Trent L *see* Wong O *et al*
Tsai R-K *see* Lin S-H *et al*
Tsuda T *see* Mino Y *et al*
Tucker P *et al.* Distribution of rest days in 12 hour shift systems: impacts on health, wellbeing, and on shift alertness, **206**
Tunnicliffe WS *et al.* Pulmonary function and respiratory symptoms in a population of airport workers, **118**

van Amstel R *see* Buijs P *et al*
van den Bergh O *et al.* Acquisition and extinction of somatic symptoms in response to odours: a pavlovian paradigm relevant to multiple chemical sensitivity, **295**
van der Gulden JWJ, Houtman ILD. Validity of self reported workload: *letter*, **288**
van der Weide WE *et al.* Relation between indicators for quality of occupational rehabilitation of employees with low back pain, **488**
see Hulshof CTJ *et al*
van der Zee SC *et al.* Acute effects of urban air pollution on respiratory health of children with and without chronic respiratory symptoms, **802**
van de Woestijne KP *see* van den Bergh O *et al*
van Diest I *see* van den Bergh O *et al*
van Dijk FJH *see* Buijs P *et al*
see Hulshof CTJ *et al*
see van der Weide WE *et al*
van Meerbeeck JP *see* Droste JHJ *et al*
van Sprundel MP *see* Droste JHJ *et al*
van Wijnen JH *see* van der Zee SC *et al*
Venables KM *see* Nieuwenhuijsen MJ *et al*
see Smith TA *et al*
Verbeek JHAM *see* Hulshof CTJ *et al*
see van der Weide WE *et al*
Vermeire PA *see* Droste JHJ *et al*
Vermeulen R *see* Schneider T *et al*
see Tielemans E *et al*
Veulemans H *see* Tielemans E *et al*
see van den Bergh O *et al*
Vlachonikolis IG *see* Devereux JJ *et al*

Wacholder S *see* Baris D *et al*
Waclawski ER *see* Love RG *et al*
Wagner GR *see* Wang M-L *et al*
Wall DK *see* Calvert GM *et al*
Walls P *see* Dolk H *et al*
see Wilkinson P *et al*
Wang H-Z *see* Lin S-H *et al*
Wang M-L *et al.* Clinically important FEV_1 declines among coal miners: an exploration of previously unrecognised determinants, **837**
Ward MH *see* Cocco P *et al*
Wass U *see* Rudell B *et al*
Watkins DK *see* Chiazze L *et al*
Weber A *see* Drexler H *et al*
Wei L *see* Chen R *et al*
Weihrauch M *see* Drexler H *et al*
Welch F *et al.* Analysis of a petrol plume over England: 18–19 January 1997, **649**
Welinder H *see* Drexler H *et al*
Wendt JK *see* Divine BJ *et al*
see Divine BJ *et al*
Westerholm P *see* Sali D *et al*
Wetherill GZ *see* Love RG *et al*
Weyler JJ *see* Droste JHJ *et al*
White N *see* Dalvie MA *et al*
Wiesner G *see* Hoerauf K *et al*
Wiley JP *see* Gorsche RG *et al*
Wilkinson P *et al.* Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain, **577**
see Dolk H *et al*
Williams MG *see* Levin JL *et al*
Williams ML *see* Welch F *et al*
Williams NR *et al.* Biological monitoring to assess exposure from use of isocyanates in motor vehicle repair, **598**
see Mason HJ *et al*
Williams PV *see* Trenga CA *et al*
Wilson HK, Monster AC. New technologies in the use of exhaled breath analysis for biological monitoring, **753**
Winter P *see* Sali D *et al*
Wong O *et al.* Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline, **217**
Wong SL *see* Wong TW *et al*
Wong TW *et al.* Air pollution and hospital admissions for respiratory and cardiovascular diseases in Hong Kong, **679**
Wu M-T *et al.* Modulating influence of cytochrome *P-450 Msp*I polymorphism on serum liver function profiles in coke oven workers, **159**
see Ho C-K *et al*
Wu T-N *see* Chu N-F *et al*

Yamada Y *see* Nakaishi H and Yamada Y
Yamato H *see* Dufresne A *et al*
Yang JS *see* Kim Y *et al*
Yasuda N *see* Mino Y *et al*
Yeh Y-F *see* Wu M-T *et al*
Youk AO *see* Marsh GM *et al*
Yu TS *see* Wong TW *et al*

Zavala G *see* Hirsch AR and Zavala G

VOLUME 56 • SUBJECT INDEX

absence, Analysis of sickness absence among employees of four NHS trusts, **702**

acid anhydrides, Efficacy of measures of hygiene in workers sensitised to acid anhydrides and the influence of selection bias on the results, **202**

acrylamide, Mortality patterns among workers exposed to acrylamide: 1994 follow up, **181**

agriculture, Fungal corneal ulcers of onion harvesters in southern Taiwan, **423**

air pollution, Acute effects of urban air pollution on respiratory health of children with and without chronic respiratory symptoms, **802**

Air pollution and hospital admissions for respiratory and cardiovascular diseases in Hong Kong, **679**

Air pollution research in the United Kingdom: *correspondence*, **647**

Inhomogeneity in response to air pollution in European children (PEACE project), **86**

Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**

Short term associations between outdoor air pollution and mortality in London 1992–4, **237**

aircraft workers, Mortality among aircraft manufacturing workers, **581**

airport workers, Pulmonary function and respiratory symptoms in a population of airport workers, **118**

airways responsiveness, Health effects among workers in sewage treatment plants, **354**

alkoxyacetic acids, Improved method to measure urinary alkoxyacetic acids, **460**

allergy, 20 Years of medical surveillance on exposure to allergenic and non-allergenic platinum compounds: the importance of chemical speciation, **191**

aluminium welding, Decrements in cognitive performance in metal inert gas welders exposed to aluminium, **632**

4-aminobiphenyl, Mortalities of workers at the Nitro plant with exposure to 2-mercaptobenzothialzole, **667**

ammonium nitrate, Inhalation of ammonium nitrate fuel oil explosive: and possible concomitant exposure: *correspondence*, **215**

amorphous silica, Study of cancer incidence among 8530 male workers in eight Norwegian plants producing ferrosilicon and silicon metal, **625**

amosite, Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy, **606**

α-amylase Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills, **197**

Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills: *letter*, **788**

anaemia, Lead induced anaemia due to traditional Indian medicine: a case report, **282**

anaesthetics, Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide, **433**

animal feed, Occupational IgE sensitisation to phytase, a phosphatase derived from *Aspergillus niger*, **454**

antioxidant, Compromised concentrations of ascorbate in fluid lining the respiratory tract in human subjects after exposure to ozone, **473**

antioxidants, Sulphur dioxide sensitivity and plasma antioxidants in adult subjects with asthma, **544**

arsenic, Biological monitoring of occupational exposure to inorganic arsenic, **825**

arterial oxygen desaturation, Long term respiratory health effects of the herbicide, paraquat, among workers in the Western Cape, **391**

asbestos, Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy, **606**

Historical cohort study of a New Zealand foundry and heavy engineering plant, **134**

Mesothelioma: cases associated with non-occupational and low dose exposures: *review*, **505**

Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region, **51**

Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**

asbestos exposure, Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos, **114**

asbestosis, Asbestosis and small cell lung cancer in a clutch refabricator, **602**

ascorbate, Compromised concentrations of ascorbate in fluid lining the respiratory tract in human subjects after exposure to ozone, **473**

Aspergillus niger, Occupational IgE sensitisation to phytase, a phosphatase derived from *Aspergillus niger*, **454**

assays, Exposure assessment of high molecular weight sensitisers: contribution to occupational epidemiology and disease prevention, **735**

asthenopia, Abnormal tear dynamics and symptoms of eyestrain in operators of visual display terminals, **6**

asthma, Point source sulphur dioxide peaks and hospital presentations for asthma, **232**

Sulphur dioxide sensitivity and plasma antioxidants in adult subjects with asthma, **544**

atopy, Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills, **197**

attributable risk, Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos, **110**

aviation fuel, Pulmonary function and respiratory symptoms in a population of airport workers, **118**

ayurvedic drugs, Lead induced anaemia due to traditional Indian medicine: a case report, **282**

bakers, Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills, **197**

Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills: *letter*, **788**

basal cell carcinoma, Basal cell carcinoma after frequent episodes of cutaneous erythema and peeling induced by welding: *correspondence*, **646**

benzene, Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline, **217**

biogenic silica, Case-control study of lung cancer among sugar cane farmers in India, **548**

biological monitoring, Biological monitoring of occupational exposure to inorganic arsenic, **825**

Biological monitoring to assess exposure from use of isocyanates in motor vehicle repair, **598**

Correlation between urinary 2-methoxy acetic acid and exposure of 2-methoxy ethanol, **674**

Improved method to measure urinary alkoxyacetic acids, **460**

New technologies in the use of exhaled breath analysis for biological monitoring, **753**

Oral and dermal absorption of chlorpyrifos: a human volunteer study, **10**

biologically effective dose, Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**

biomarkers, Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**

birthweight, Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**

bladder cancer, Cohort mortality study of 57 000 painters and other union members: a 15 year update, **315**

blood, Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**

Follow up of workers previously exposed to silver solder containing cadmium, **556**

blood lead, Dose dependent reduction of erythroid progenitor cells and inappropriate erythropoietin response in exposure to lead: new aspects of anaemia induced by lead, **106**

Reappraisal of the relation between blood lead concentration and blood pressure among the general population in Taiwan, **30**

blood pressure, Reappraisal of the relation between blood lead concentration and blood pressure among the general population in Taiwan, **30**

bone lead, Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers, **22**

brain tumours, Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**

breath analysis, New technologies in the use of exhaled breath analysis for biological monitoring, **753**

bronchial diseases, Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**

bronchoalveolar lavage, Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**

Compromised concentrations of ascorbate in fluid lining the respiratory tract in human subjects after exposure to ozone, **473**

building related illness, Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**

byssinosis, Respiratory symptoms in Lancashire textile weavers, **514**

cadmium, Measurement of vitamin D_3 metabolites in smelter workers exposed to lead and cadmium: *letter*, **788**

cancer, Cancer incidence in a cohort of Swedish sewage workers: extended follow up, **672**

Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States, **567**
Incidence of childhood brain and other non-haematopoietic neoplasms near nuclear sites in Scotland, 1975–94, **308**
Mortalities of workers at the Nitro plant with exposure to 2-mercaptobenzothialzole, **667**
Mortality among aircraft manufacturing workers, **581**
Study of cancer incidence among 6363 male workers in four Norwegian ferromanganese and silicomanganese producing plants, **618**
carbon monoxide, Effects of exposure to low concentrations of carbon monoxide on exercise performance and myocardial perfusion in young healthy men, **535**
cardiovascular diseases, Air pollution and hospital admissions for respiratory and cardiovascular diseases in Hong Kong, **679**
Shift work, social class, and ischaemic heart disease in middle aged and elderly men; a 22 year follow up in the Copenhagen male study, **640**
carpal tunnel syndrome, Prevalence and incidence of carpal tunnel syndrome in a meat packing plant, **417**
case-control study, Relation between job strain and myocardial infarction: a case-control study, **339**
case-referent, Shiftwork and myocardial infarction: a case-control study, **46**
cellulose triacetate, Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base: *correspondence*, **215**
ceramics, End stage renal disease among ceramic workers exposed to silica, **553**
chelating agents, Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers, **22**
chemical industry, Update of the Texaco mortality study 1947–93: part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers, **167**
chest radiography, Risks of respiratory disease in the heavy clay industry, **124**
childhood leukaemia, Are the children of fathers whose jobs involve contact with many people at an increased risk of leukaemia?, **438**
children, Analysis of incidence of childhood cancer in the West Midlands of the United Kingdom in relation to proximity to main roads and petrol stations, **774**
Incidence of childhood brain and other non-haematopoietic neoplasms near nuclear sites in Scotland, 1975–94, **308**
Inhomogeneity in response to air pollution in European children (PEACE project), **86**
Mass concentration and elemental composition of PM_{10} in classrooms, **482**
chlorpyrifos, Oral and dermal absorption of chlorpyrifos: a human volunteer study, **10**
chromate, Mortality among aircraft manufacturing workers, **581**
chronic respiratory symptoms, Acute effects of urban air pollution on respiratory health of children with and without chronic respiratory symptoms, **802**
chrysotile asbestos, Asbestosis and small cell lung cancer in a clutch refabricator, **602**
circadian rhythm, Vehicle accidents related to sleep: a review: *review*, **289**
Clara cells, Bioreactivity of carbon black and diesel exhaust particles to primary Clara and type II epithelial cell cultures, **813**
classrooms, Mass concentration and elemental composition of PM_{10} in classrooms, **482**
CNS cancer, Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base: *correspondence*, **215**
coal mining, Clinically important FEV_1 declines among coal miners: an exploration of previously unrecognised determinants, **837**
cognitive framework, Decrements in cognitive performance in metal inert gas welders exposed to aluminium, **632**
cohort mortality study, Mortality patterns among workers exposed to acrylamide: 1994 follow up, **181**
cohort studies, Feasibility of cohort studies in Estonia, **499**
Work characteristics predict psychiatric disorder: prospective results from the Whitehall II study, **302**
cohort study, Perceived job stress and mental health in precision machine workers of Japan: a 2 year cohort study, **41**
CO_2 inhalation, Acquisition and extinction of somatic symptoms in response to odours: a pavlovian paradigm relevant to multiple chemical sensitivity, **295**
coke oven workers, Modulating influence of cytochrome *P-450 Msp*I polymorphism on serum liver function profiles in coke oven workers, **159**
cokeworks, Mortality among residents near cokeworks in Great Britain, **34**
cold water, Preventing commercial fishing deaths in Alaska, **691**
commercial fishing, Preventing commercial fishing deaths in Alaska, **691**
confounding exposure, Mortalities of workers at the Nitro plant with exposure to 2-mercaptobenzothialzole, **667**
contamination, Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**
contrast sensitivity, Effects of experimental exposure to triethylamine on vision and the eye, **1**
coronary artery disease, Shiftwork and myocardial infarction: a case-control study, **46**
cotton, Respiratory symptoms in Lancashire textile weavers, **514**
cross sectional study, Evaluation of diabetes mellitus, serum glucose, and thyroid function among United States workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin, **270**
cumulative exposure, Risks of respiratory disease in the heavy clay industry, **124**
***CYP1A1* genotype,** Modulating influence of cytochrome *P-450 Msp*I polymorphism on serum liver function profiles in coke oven workers, **159**

dermal exposure, Conceptual model for assessment of dermal exposure, **765**
diabetes mellitus, Evaluation of diabetes mellitus, serum glucose, and thyroid function among United States workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin, **270**
diesel exhaust, Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**
Efficiency of automotive cabin air filters to reduce acute health effects of diesel exhaust in human subjects, **222**
dimercaptosuccinic acid, Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers, **22**
dioxin, Evaluation of diabetes mellitus, serum glucose, and thyroid function among United States workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin, **270**
dispersion modelling, Analysis of a petrol plume over England: 18–19 January 1997, **649**
dockyards, Neuropsychological symptoms in Chinese male and female painters: an epidemiological study in dockyard workers, **388**
drinking water, Relations between exposure to arsenic, skin lesions, and glucosuria, **277**
drowning, Preventing commercial fishing deaths in Alaska, **691**
dry eye syndrome, Abnormal tear dynamics and symptoms of eyestrain in operators of visual display terminals, **6**
dust concentrations, Ventilatory function and personal breathing zone dust concentrations in Lancashire textile weavers, **520**

early response markers, Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**
electromagnetic fields, Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States, **567**
electron microscopy, Asbestosis and small cell lung cancer in a clutch refabricator, **602**
elemental composition, Mass concentration and elemental composition of PM_{10} in classrooms, **482**
employment grade, Relation between job strain and myocardial infarction: a case-control study, **339**
end stage renal disease, End stage renal disease among ceramic workers exposed to silica, **553**
endotoxin, Health effects among workers in sewage treatment plants, **354**
Prevalence and predictors of work related respiratory symptoms in workers exposed to organic dusts: *correspondence*, **575**
engine reconditioning, Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**
environment, Organochlorine in the serum of inhabitants living near an electrochemical factory, **152**
environmental health, Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**
environmental monitoring, Analysis of a petrol plume over England: 18–19 January 1997, **649**
environmental samples, Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**
enzyme allergy, Occupational IgE sensitisation to phytase, a phosphatase derived from *Aspergillus niger*, **454**
epidemiological methods, Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States, **567**
epidemiology, Cancer incidence in a cohort of Swedish sewage workers: extended follow up, **672**
Effect of spirometer temperature on FEV_1 in a longitudinal epidemiological study, **718**
Inhomogeneity in response to air pollution in European children (PEACE project), **86**
Interactions between physical and psychosocial risk factors at work increase the risk of back disorders: an epidemiological approach, **343**
Mortality among residents near cokeworks in Great Britain, **34**
Non-neoplastic mortality of European workers who produce man made vitreous fibres, **612**
Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos, **110**

Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**
Surveillance of potential associations between occupations and causes of death in Canada, 1965–91, **265**
Work characteristics predict psychiatric disorder: prospective results from the Whitehall II study, **302**
Epstein-Barr virus, Suspected nasopharyngeal carcinoma in three workers with long term exposure to sulphuric acid vapour, **426**
erythropoietin, Dose dependent reduction of erythroid progenitor cells and inappropriate erythropoietin response in exposure to lead: new aspects of anaemia induced by lead, **106**
Estonia, Feasibility of cohort studies in Estonia, **499**
ethnicity, Prevalence and incidence of carpal tunnel syndrome in a meat packing plant, **417**
ethoxyacetic acid, Evaluation of exposure to ethylene glycol monoethyl ether acetates and their possible haematological effects on shipyard painters, **378**
ethylene glycol ethers, Improved method to measure urinary alkoxyacetic acids, **460**
ethylene glycol monoethyl ethers, Evaluation of exposure to ethylene glycol monoethyl ether acetates and their possible haematological effects on shipyard painters, **378**
evaluation of research, Evaluation research in occupational health services: general principles and a systematic review of empirical studies, **361**
exercise, Effects of exposure to low concentrations of carbon monoxide on exercise performance and myocardial perfusion in young healthy men, **535**
exercise test, Long term respiratory health effects of the herbicide, paraquat, among workers in the Western Cape, **391**
exposure, Measurement of human exposure to biologically relevant fractions of inhaled aerosols, **747**
Organochlorine in the serum of inhabitants living near an electrochemical factory, **152**
exposure assessment, Assessment of occupational exposures in a general population: comparison of different methods, **145**
exposure chamber, Efficiency of automotive cabin air filters to reduce acute health effects of diesel exhaust in human subjects, **222**
exposure misclassification, Mortalities of workers at the Nitro plant with exposure to 2-mercaptobenzothialzole, **667**
extinction, Acquisition and extinction of somatic symptoms in response to odours: a pavlovian paradigm relevant to multiple chemical sensitivity, **295**

farmers, Mortality in a cohort of licenced pesticide applicators in Florida, **14**
fecundity, Exposure to toluene in the printing industry is associated with subfecundity in women but not in men, **443**
ferroalloy, Study of cancer incidence among 6363 male workers in four Norwegian ferromanganese and silicomanganese producing plants, **618**
Study of cancer incidence among 8530 male workers in eight Norwegian plants producing ferrosilicon and silicon metal, **625**
ferruginous bodies, Asbestosis and small cell lung cancer in a clutch refabricator, **602**
fibre retention, Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region, **51**
fibreglass manufacturing, Mortality from nephritis and nephrosis in the fibreglass manufacturing industry, **164**
flow cytometry, Flow cytometry in the exploration of the physiopathology of occupational lung disease, **742**
follicle stimulating hormone, Reproductive endocrine effects of acute exposure to toluene in men and women, **657**
follow up, Follow up investigation of workers in synthetic fibre plants with humidifier disease and work related asthma, **403**
follow up study, Two year follow up of pulmonary function values among welders in New Zealand, **328**
forced expiratory volume, Clinically important FEV_1 declines among coal miners: an exploration of previously unrecognised determinants, **837**
fuel oil explosive, Inhalation of ammonium nitrate fuel oil explosive: and possible concomitant exposure: *correspondence*, **215**
fungal corneal ulcer, Fungal corneal ulcers of onion harvesters in southern Taiwan, **423**

gasoline, Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline, **217**
general population, Reappraisal of the relation between blood lead concentration and blood pressure among the general population in Taiwan, **30**
general population studies, Assessment of occupational exposures in a general population: comparison of different methods, **145**
general practitioner, Dutch occupational physicians and general practitioners wish to improve cooperation, **709**
genetic polymorphisms, Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**
genetic screening, Future impact of genetic screening in occupational and environmental medicine, **721**
germicidal ultraviolet light, Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**
glucosuria, Relations between exposure to arsenic, skin lesions, and glucosuria, **277**
granulocytopenia, Evaluation of exposure to ethylene glycol monoethyl ether acetates and their possible haematological effects on shipyard painters, **378**
growth factor receptors, Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos, **114**

health, Distribution of rest days in 12 hour shift systems: impacts on health, wellbeing, and on shift alertness, **206**
health consequences, Validity of self reported workload: *letter*, **288**
health surveillance, Biological monitoring to assess exposure from use of isocyanates in motor vehicle repair, **598**
healthcare workers, Analysis of sickness absence among employees of four NHS trusts, **702**
Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital, **833**
healthy smoker, Lack of combined effects of exposure and smoking on respiratory health in aluminium potroom workers, **468**
healthy worker, Lack of combined effects of exposure and smoking on respiratory health in aluminium potroom workers, **468**
healthy worker effect, Efficacy of measures of hygiene in workers sensitised to acid anhydrides and the influence of selection bias on the results, **202**
heavy clay industry, Risks of respiratory disease in the heavy clay industry, **124**
hepatitis, Molecular methods of measurement of hepatitis B virus, hepatitis C virus, and human immunodeficiency virus infection: implications for occupational health practice, **730**
hepatitis A, Health effects among workers in sewage treatment plants: *letter*, **790**
high molecular weight sensitisers, Exposure assessment of high molecular weight sensitisers: contribution to occupational epidemiology and disease prevention, **735**
historical cohort, Shoulder impingement syndrome in relation to shoulder intensive work, **494**
HIV, Molecular methods of measurement of hepatitis B virus, hepatitis C virus, and human immunodeficiency virus infection: implications for occupational health practice, **730**
humans, Efficiency of automotive cabin air filters to reduce acute health effects of diesel exhaust in human subjects, **222**
humidifier disease, Follow up investigation of workers in synthetic fibre plants with humidifier disease and work related asthma, **403**
hydrogen sulphide, Long term effects on the olfactory system of exposure to hydrogen sulphide, **284**
hypocellular marrow, Evaluation of exposure to ethylene glycol monoethyl ether acetates and their possible haematological effects on shipyard painters, **378**

IgE, Occupational IgE sensitisation to phytase, a phosphatase derived from *Aspergillus niger*, **454**
imputations, Residential exposure to magnetic fields: an empirical examination of alternative measurement strategies, **562**
individual susceptibility, Role of individual susceptibility in risk assessment of pesticides, **449**
indoor air pollution, Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**
indoor air quality, Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**
indoor environment, Germicidal ultraviolet irradiation in air conditioning systems: effect on office worker health and wellbeing: a pilot study, **397**
inflammation, Health effects among workers in sewage treatment plants, **354**
infrared spectroscopy, Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy, **606**
internal dose, Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**
ionising radiation, Nuclear industry family study: methods and description of a United Kingdom study linking occupational information held by employers to reproduction and child health, **793**
iron, Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy, **606**
irritant induced asthma, Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**
irritants, Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**
ischaemia, Effects of exposure to low concentrations of carbon monoxide on exercise performance and myocardial perfusion in young healthy men, **535**
ischaemic heart disease, Non-neoplastic mortality of European workers who produce man made vitreous fibres, **612**

isocyanate, Biological monitoring to assess exposure from use of isocyanates in motor vehicle repair, **598**
isotopes, Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**

jet stream exhaust, Pulmonary function and respiratory symptoms in a population of airport workers, **118**
job category, Relation between job strain and myocardial infarction: a case-control study, **339**
job strain, Relation between job strain and myocardial infarction: a case-control study, **339**
Shiftwork and myocardial infarction: a case-control study, **46**
job stress, Perceived job stress and mental health in precision machine workers of Japan: a 2 year cohort study, **41**
job task exposure matrix, Occupational risk factors of lung cancer: a hospital based case-control study, **322**

keratosis, Relations between exposure to arsenic, skin lesions, and glucosuria, **277**
kidney, Follow up of workers previously exposed to silver solder containing cadmium, **556**
kidney cancer, Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline, **217**
kidney disease, Mortality from nephritis and nephrosis in the fibreglass manufacturing industry, **164**

latex, Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital, **833**
lead, Clinical lead poisoning in England: an analysis of routine sources of data, **820**
Engine reconditioning workshops: lead contamination and the potential risk for workers: a pilot study, **429**
Measurement of human exposure to biologically relevant fractions of inhaled aerosols, **747**
Measurement of vitamin D_3 metabolites in smelter workers exposed to lead and cadmium: *letter*, **788**
Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers, **22**
lead intoxication, Lead induced anaemia due to traditional Indian medicine: a case report, **282**
leisure time, Risk factors for neck and upper limb disorders: results from 24 years of follow up, **59**
leucopenia, Evaluation of exposure to ethylene glycol monoethyl ether acetates and their possible haematological effects on shipyard painters, **378**
leukaemia, Analysis of incidence of childhood cancer in the West Midlands of the United Kingdom in relation to proximity to main roads and petrol stations, **774**
Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline, **217**
liver, Follow up of workers previously exposed to silver solder containing cadmium, **556**
liver function, Modulating influence of cytochrome *P-450 Msp*I polymorphism on serum liver function profiles in coke oven workers, **159**
longitudinal studies, Clinically important FEV_1 declines among coal miners: an exploration of previously unrecognised determinants, **837**
low back pain, Analysis by sex of low back pain among workers from small companies in the Paris area: severity and occupational consequences, **696**
Interactions between physical and psychosocial risk factors at work increase the risk of back disorders: an epidemiological approach, **343**
Relation between indicators for quality of occupational rehabilitation of employees with low back pain, **488**
low exposure, Mesothelioma: cases associated with non-occupational and low dose exposures: *review*, **505**
lung, Study of cancer incidence among 8530 male workers in eight Norwegian plants producing ferrosilicon and silicon metal, **625**
lung cancer, Asbestosis and small cell lung cancer in a clutch refabricator, **602**
Case-control study of lung cancer among sugar cane farmers in India, **548**
Cohort mortality study of 57 000 painters and other union members: a 15 year update, **315**
Occupational risk factors of lung cancer: a hospital based case-control study, **322**
lung disease, Flow cytometry in the exploration of the physiopathology of occupational lung disease, **742**
luteinising hormone, Reproductive endocrine effects of acute exposure to toluene in men and women, **657**
lymphohaematopoietic malignancy, Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain, **577**

machining fluids, Historical cohort study of a New Zealand foundry and heavy engineering plant, **134**
macrophages, Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**
magnetic field, Residential exposure to magnetic fields: an empirical examination of alternative measurement strategies, **562**
man made mineral fibres, Clearance of man made mineral fibres from the lungs of sheep, **684**
man made vitreous fibres, Non-neoplastic mortality of European workers who produce man made vitreous fibres, **612**
manganese, Study of cancer incidence among 6363 male workers in four Norwegian ferromanganese and silicomanganese producing plants, **618**
manual work, Interactions between physical and psychosocial risk factors at work increase the risk of back disorders: an epidemiological approach, **343**
measurement, Molecular methods of measurement of hepatitis B virus, hepatitis C virus, and human immunodeficiency virus infection: implications for occupational health practice, **730**
measurement methods, Conceptual model for assessment of dermal exposure, **765**
meat packing plant, Prevalence and incidence of carpal tunnel syndrome in a meat packing plant, **417**
mental health, Perceived job stress and mental health in precision machine workers of Japan: a 2 year cohort study, **41**
mental illness, Work characteristics predict psychiatric disorder: prospective results from the Whitehall II study, **302**
mercaptobenzothiazole, Mortalities of workers at the Nitro plant with exposure to 2-mercaptobenzothialzole, **667**
mesothelioma, Mesothelioma: cases associated with non-occupational and low dose exposures: *review*, **505**
Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region, **51**
Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**
2-methoxy acetic acid, Correlation between urinary 2-methoxy acetic acid and exposure of 2-methoxy ethanol, **674**
2-methoxy ethanol, Correlation between urinary 2-methoxy acetic acid and exposure of 2-methoxy ethanol, **674**
micronuclei, Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide, **433**
missing data, Residential exposure to magnetic fields: an empirical examination of alternative measurement strategies, **562**
model, Conceptual model for assessment of dermal exposure, **765**
molecular epidemiology, Applications of new technology in molecular epidemiology and their relevance to occupational medicine, **725**
monsoon, Fungal corneal ulcers of onion harvesters in southern Taiwan, **423**
mortality, Mortality among aircraft manufacturing workers, **581**
Mortality among residents near cokeworks in Great Britain, **34**
Short term associations between outdoor air pollution and mortality in London 1992–4, **237**
Surveillance of potential associations between occupations and causes of death in Canada, 1965–91, **265**
Update of the Texaco mortality study 1947–93: part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers, **167**
multiple chemical sensitivity, A review of multiple chemical sensitivity, **73**
Acquisition and extinction of somatic symptoms in response to odours: a pavlovian paradigm relevant to multiple chemical sensitivity, **295**
multiple myeloma, Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline, **217**
Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**
muriatic acid, Mortality patterns among workers exposed to acrylamide: 1994 follow up, **181**
musculoskeletal complaints, Work related risk factors for musculoskeletal complaints in the spinning industry in Lithuania, **411**
musculoskeletal disorders, Risk factors for neck and upper limb disorders: results from 24 years of follow up, **59**
musculoskeletal system, Fish processing work: the impact of two sex dependent exposure profiles on musculoskeletal health, **256**
mutagenicity tests, Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide, **433**
myocardial infarction, Relation between job strain and myocardial infarction: a case-control study, **339**

nasopharyngeal carcinoma, Suspected nasopharyngeal carcinoma in three workers with long term exposure to sulphuric acid vapour, **426**
necropsy, Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners, **215**

neoplasms, Risk of stomach cancer associated with 12 workplace hazards: analysis of death certificates from 24 states of the United States with the aid of job exposure matrices, **781**
nephritis, Mortality from nephritis and nephrosis in the fibreglass manufacturing industry, **164**
nephrosis, Mortality from nephritis and nephrosis in the fibreglass manufacturing industry, **164**
nested case-control studies, A relative power table for nested matched case-control studies, **67**
neuropsychological tests, Decrements in cognitive performance in metal inert gas welders exposed to aluminium, **632**
Neuropsychological function in retired workers with previous long term occupational exposure to solvents, **93**
neuropsychology, Health effects of solvent exposure among dockyard painters: mortality and neuropsychological symptoms, **383**
Neuropsychological symptoms in Chinese male and female painters: an epidemiological study in dockyard workers, **388**
neutrophils, Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**
NHS, Provision and staffing of NHS occupational health services in England and Wales, **714**
non-Hodgkin's lymphoma, Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**
nuclear sites, Incidence of childhood brain and other non-haematopoietic neoplasms near nuclear sites in Scotland, 1975–94, **308**
number of controls per case, A relative power table for nested matched case-control studies, **67**

Oasys, Development of an expert system for the interpretation of serial peak expiratory flow measurements in the diagnosis of occupational asthma, **758**
occupation, Future impact of genetic screening in occupational and environmental medicine, **721**
Long term respiratory health effects of the herbicide, paraquat, among workers in the Western Cape, **391**
Organochlorine in the serum of inhabitants living near an electrochemical factory, **152**
Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos, **110**
Surveillance of potential associations between occupations and causes of death in Canada, 1965–91, **265**
occupational, Flow cytometry in the exploration of the physiopathology of occupational lung disease, **742**
occupational asthma, Development of an expert system for the interpretation of serial peak expiratory flow measurements in the diagnosis of occupational asthma, **758**
Efficacy of measures of hygiene in workers sensitised to acid anhydrides and the influence of selection bias on the results, **202**
Exposure-response relations of α-amylase sensitisation in British bakeries and flour mills: *letter,* **788**
occupational cancer, Update of the Texaco mortality study 1947–93: part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers, **167**
occupational disease, Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital, **833**
occupational exposure, Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**
Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide, **433**
Neuropsychological function in retired workers with previous long term occupational exposure to solvents, **93**
Nuclear industry family study: methods and description of a United Kingdom study linking occupational information held by employers to reproduction and child health, **793**
Occupational risk factors of lung cancer: a hospital based case-control study, **322**
Pulmonary function and respiratory symptoms in a population of airport workers, **118**
Risk of stomach cancer associated with 12 workplace hazards: analysis of death certificates from 24 states of the United States with the aid of job exposure matrices, **781**
occupational health, Historical cohort study of a New Zealand foundry and heavy engineering plant, **134**
Provision and staffing of NHS occupational health services in England and Wales, **714**
occupational health services, Dutch occupational physicians and general practitioners wish to improve cooperation, **709**
Evaluation research in occupational health services: general principles and a systematic review of empirical studies, **361**
occupational physician, Dutch occupational physicians and general practitioners wish to improve cooperation, **709**
occupational rehabilitation, Relation between indicators for quality of occupational rehabilitation of employees with low back pain, **488**
odours, Acquisition and extinction of somatic symptoms in response to odours: a pavlovian paradigm relevant to multiple chemical sensitivity, **295**
oil refineries, Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain, **577**
organic solvents, Exposure to toluene in the printing industry is associated with subfecundity in women but not in men, **443**
organochlorine compounds, Organochlorine in the serum of inhabitants living near an electrochemical factory, **152**
organophosphorus pesticide, Oral and dermal absorption of chlorpyrifos: a human volunteer study, **10**
ozone, Compromised concentrations of ascorbate in fluid lining the respiratory tract in human subjects after exposure to ozone, **473**

painters, Cohort mortality study of 57 000 painters and other union members: a 15 year update, **315**
Health effects of solvent exposure among dockyard painters: mortality and neuropsychological symptoms, **383**
Neuropsychological symptoms in Chinese male and female painters: an epidemiological study in dockyard workers, **388**
particle trap, Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**
particles, Mass concentration and elemental composition of PM_{10} in classrooms, **482**
paternal occupation, Are the children of fathers whose jobs involve contact with many people at an increased risk of leukaemia?, **438**
pavlovian conditioning, Acquisition and extinction of somatic symptoms in response to odours: a pavlovian paradigm relevant to multiple chemical sensitivity, **295**
peak expiratory flow, Development of an expert system for the interpretation of serial peak expiratory flow measurements in the diagnosis of occupational asthma, **758**
perchloroethylene, Mortality among aircraft manufacturing workers, **581**
personal sampling, Ventilatory function and personal breathing zone dust concentrations in Lancashire textile weavers, **520**
pesticide applicators, Mortality in a cohort of licenced pesticide applicators in Florida, **14**
pesticides, Role of individual susceptibility in risk assessment of pesticides, **449**
Semen quality and sex hormones among organic and traditional Danish farmers, **139**
petrol spill, Analysis of a petrol plume over England: 18–19 January 1997, **649**
petrol station, Analysis of incidence of childhood cancer in the West Midlands of the United Kingdom in relation to proximity to main roads and petrol stations, **774**
petroleum, Update of the Texaco mortality study 1947–93: part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers, **167**
petroleum industry, Update of the Texaco mortality study 1947–93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals, **174**
phagocytosis, Bronchoalveolar inflammation after exposure to diesel exhaust: comparison between unfiltered and particle trap filtered exhaust, **527**
physical load, Validity of self reported workload: *letter,* **288**
phytase, Occupational IgE sensitisation to phytase, a phosphatase derived from *Aspergillus niger,* **454**
platinum, 20 Years of medical surveillance on exposure to allergenic and non-allergenic platinum compounds: the importance of chemical speciation, **191**
pleural plaques, Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos, **114**
PM_{10}, Mass concentration and elemental composition of PM_{10} in classrooms, **482**
poisoning, Clinical lead poisoning in England: an analysis of routine sources of data, **820**
population registration, Feasibility of cohort studies in Estonia, **499**
pregnancy, Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**
prevention at work, Validity of self reported workload: *letter,* **288**
primary epithelial cultures, Bioreactivity of carbon black and diesel exhaust particles to primary Clara and type II epithelial cell cultures, **813**
progenitor cells, Dose dependent reduction of erythroid progenitor cells and inappropriate erythropoietin response in exposure to lead: new aspects of anaemia induced by lead, **106**
prostate cancer, Mortality in a cohort of licenced pesticide applicators in Florida, **14**
psychosocial work factors, Interactions between physical and psychosocial risk factors at work increase the risk of back disorders: an epidemiological approach, **343**
pulmonary function, Two year follow up of pulmonary function values among welders in New Zealand, **328**
pulmonary tuberculosis, Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners, **215**

quality of care, Relation between indicators for quality of occupational rehabilitation of employees with low back pain, **488**
questionnaires, Assessment of occupational exposures in a general population: comparison of different methods, **145**

radiographers, Work related respiratory symptoms in radiographers: *correspondence,* **646**
reactive airways dysfunction syndrome, Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**
relative power, A relative power table for nested matched case-control studies, **67**
renal disease, Non-neoplastic mortality of European workers who produce man made vitreous fibres, **612**
reproductive hazards, Extremely low frequency magnetic fields and fertility: a follow up study of couples planning first pregnancies, **253**
Nuclear industry family study: methods and description of a United Kingdom study linking occupational information held by employers to reproduction and child health, **793**
research, Air pollution research in the United Kingdom: *correspondence,* **647**
residential exposure, Residential exposure to magnetic fields: an empirical examination of alternative measurement strategies, **562**
respirable dust and quartz, Risks of respiratory disease in the heavy clay industry, **124**
respiratory disease, Non-neoplastic mortality of European workers who produce man made vitreous fibres, **612**
Prevalence and predictors of work related respiratory symptoms in workers exposed to organic dusts: *correspondence,* **575**
Risks of respiratory disease in the heavy clay industry, **124**
respiratory diseases, Air pollution and hospital admissions for respiratory and cardiovascular diseases in Hong Kong, **679**
respiratory health, Acute effects of urban air pollution on respiratory health of children with and without chronic respiratory symptoms, **802**
respiratory symptoms, Pulmonary function and respiratory symptoms in a population of airport workers, **118**
Respiratory symptoms in Lancashire textile weavers, **514**
Work related respiratory symptoms in radiographers: *correspondence,* **646**
retention in lung, Clearance of man made mineral fibres from the lungs of sheep, **684**
retinol binding protein, Follow up of workers previously exposed to silver solder containing cadmium, **556**
review, A review of multiple chemical sensitivity, **73**
Evaluation research in occupational health services: general principles and a systematic review of empirical studies, **361**
rhinitis, Chronic rhinitis in workers at risk of reactive airways dysfunction syndrome due to exposure to chlorine, **334**
risk assessment, Role of individual susceptibility in risk assessment of pesticides, **449**
road traffic, Analysis of incidence of childhood cancer in the West Midlands of the United Kingdom in relation to proximity to main roads and petrol stations, **774**
rotator cuff syndrome, Shoulder impingement syndrome in relation to shoulder intensive work, **494**

safety, Distribution of rest days in 12 hour shift systems: impacts on health, wellbeing, and on shift alertness, **206**
selection bias, Efficacy of measures of hygiene in workers sensitised to acid anhydrides and the influence of selection bias on the results, **202**
semen, Semen quality and sex hormones among organic and traditional Danish farmers, **139**
semen analyses, Extremely low frequency magnetic fields and fertility: a follow up study of couples planning first pregnancies, **253**
sensitivity, Sulphur dioxide sensitivity and plasma antioxidants in adult subjects with asthma, **544**
severity, Analysis by sex of low back pain among workers from small companies in the Paris area: severity and occupational consequences, **696**
sewage treatment plants, Health effects among workers in sewage treatment plants: *letter,* **790**
sewage workers, Cancer incidence in a cohort of Swedish sewage workers: extended follow up, **672**
Health effects among workers in sewage treatment plants, **354**
sex, Analysis by sex of low back pain among workers from small companies in the Paris area: severity and occupational consequences, **696**
Fish processing work: the impact of two sex dependent exposure profiles on musculoskeletal health, **256**
Shiftwork and myocardial infarction: a case-control study, **46**
sex hormones, Semen quality and sex hormones among organic and traditional Danish farmers, **139**
shift systems, Distribution of rest days in 12 hour shift systems: impacts on health, wellbeing, and on shift alertness, **206**
short term exposure, Point source sulphur dioxide peaks and hospital presentations for asthma, **232**
sickness absence, Analysis of sickness absence among employees of four NHS trusts, **702**
Dutch occupational physicians and general practitioners wish to improve cooperation, **709**
silica, End stage renal disease among ceramic workers exposed to silica, **553**
silicosis, Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners, **215**
sister chromatid exchanges, Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide, **433**
slaughterhouse workers, Shoulder impingement syndrome in relation to shoulder intensive work, **494**
sleepiness, Vehicle accidents related to sleep: a review: *review,* **289**
small area, Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain, **577**
smell, Long term effects on the olfactory system of exposure to hydrogen sulphide, **284**
smoking, Shiftwork and myocardial infarction: a case-control study, **46**
social class, Shift work, social class, and ischaemic heart disease in middle aged and elderly men; a 22 year follow up in the Copenhagen male study, **640**
social contact, Are the children of fathers whose jobs involve contact with many people at an increased risk of leukaemia?, **438**
social network, Relation between job strain and myocardial infarction: a case-control study, **339**
socioeconomic factors, Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**
SO_2, Point source sulphur dioxide peaks and hospital presentations for asthma, **232**
solvents, Health effects of solvent exposure among dockyard painters: mortality and neuropsychological symptoms, **383**
Mortality among aircraft manufacturing workers, **581**
Neuropsychological function in retired workers with previous long term occupational exposure to solvents, **93**
Reproductive endocrine effects of acute exposure to toluene in men and women, **657**
speciation, Biological monitoring of occupational exposure to inorganic arsenic, **825**
sperm, Semen quality and sex hormones among organic and traditional Danish farmers, **139**
spermatozoa, Semen quality and sex hormones among organic and traditional Danish farmers, **139**
spinning, Work related risk factors for musculoskeletal complaints in the spinning industry in Lithuania, **411**
spirometry, Effect of spirometer temperature on FEV_1 in a longitudinal epidemiological study, **718**
Lack of combined effects of exposure and smoking on respiratory health in aluminium potroom workers, **468**
Ventilatory function and personal breathing zone dust concentrations in Lancashire textile weavers, **520**
staff, Provision and staffing of NHS occupational health services in England and Wales, **714**
standards, Exposure assessment of high molecular weight sensitisers: contribution to occupational epidemiology and disease prevention, **735**
stillbirth, Pregnancy outcomes and outdoor air pollution: an ecological study in districts of the Czech Republic 1986–8, **539**
stomach, Risk of stomach cancer associated with 12 workplace hazards: analysis of death certificates from 24 states of the United States with the aid of job exposure matrices, **781**
strained posture, Work related risk factors for musculoskeletal complaints in the spinning industry in Lithuania, **411**
sugar cane farmers, Case-control study of lung cancer among sugar cane farmers in India, **548**
sulphuric acid vapour, Suspected nasopharyngeal carcinoma in three workers with long term exposure to sulphuric acid vapour, **426**
surveillance, End stage renal disease among ceramic workers exposed to silica, **553**
Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners, **215**
symptoms, Efficiency of automotive cabin air filters to reduce acute health effects of diesel exhaust in human subjects, **222**

taste disorders, Long term effects on the olfactory system of exposure to hydrogen sulphide, **284**
technology, New technologies in the use of exhaled breath analysis for biological monitoring, **753**
tetraammine platinum chloride, 20 Years of medical surveillance on exposure to allergenic and non-allergenic platinum compounds: the importance of chemical speciation, **191**
textile, Respiratory symptoms in Lancashire textile weavers, **514**
textiles, Ventilatory function and personal breathing zone dust concentrations in Lancashire textile weavers, **520**
thallium scintigraphy, Effects of exposure to low concentrations of carbon monoxide on exercise performance and myocardial perfusion in young healthy men, **535**
thoracic, Measurement of human exposure to biologically relevant fractions of inhaled aerosols, **747**
thyroid function tests, Evaluation of diabetes mellitus, serum glucose, and thyroid function among United States workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin, **270**
time series, Short term associations between outdoor air pollution and mortality in London 1992–4, **237**

time to pregnancy, Exposure to toluene in the printing industry is associated with subfecundity in women but not in men, **443**
Extremely low frequency magnetic fields and fertility: a follow up study of couples planning first pregnancies, **253**
travel stress, Risk factors for psychological stress among international business travellers, **245**
trichloroethylene, Mortality among aircraft manufacturing workers, **581**
triethylamine, Effects of experimental exposure to triethylamine on vision and the eye, **1**
type II cells, Bioreactivity of carbon black and diesel exhaust particles to primary Clara and type II epithelial cell cultures, **813**

ultrafine particles, Bioreactivity of carbon black and diesel exhaust particles to primary Clara and type II epithelial cell cultures, **813**
urine, Follow up of workers previously exposed to silver solder containing cadmium, **556**

vehicle accidents, Vehicle accidents related to sleep: a review: *review,* **289**
vehicle cabin air filters, Efficiency of automotive cabin air filters to reduce acute health effects of diesel exhaust in human subjects, **222**
visual display terminal, Abnormal tear dynamics and symptoms of eyestrain in operators of visual display terminals, **6**
visual symptoms, Effects of experimental exposure to triethylamine on vision and the eye, **1**
vitamin D_3, Measurement of vitamin D_3 metabolites in smelter workers exposed to lead and cadmium: *letter,* **788**

weavers, Ventilatory function and personal breathing zone dust concentrations in Lancashire textile weavers, **520**
weaving, Respiratory symptoms in Lancashire textile weavers, **514**
welding, Basal cell carcinoma after frequent episodes of cutaneous erythema and peeling induced by welding: *correspondence,* **646**
Extremely low frequency magnetic fields and fertility: a follow up study of couples planning first pregnancies, **253**
welding fume, Two year follow up of pulmonary function values among welders in New Zealand, **328**
work, Abnormal tear dynamics and symptoms of eyestrain in operators of visual display terminals, **6**
Work characteristics predict psychiatric disorder: prospective results from the Whitehall II study, **302**
work environment, Fish processing work: the impact of two sex dependent exposure profiles on musculoskeletal health, **256**
Risk factors for neck and upper limb disorders: results from 24 years of follow up, **59**
work related asthma, Follow up investigation of workers in synthetic fibre plants with humidifier disease and work related asthma, **403**
work schedule, Shift work, social class, and ischaemic heart disease in middle aged and elderly men; a 22 year follow up in the Copenhagen male study, **640**
work stress, Validity of self reported workload: *letter,* **288**

***x* ray fluorescence,** Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers, **22**